



INSTALLATION OF BLUE PERFORMANCE COCKPIT BAGS

Blue Performance cockpit and bulkhead bags are clipped on to small white hooks screwed into the boat. Bags can be removed easily for stowage.


1 Choose the right location on board



2 Using the drill pattern supplied drill four 3mm holes in the boat for each corner position.




3 Screw the small white Blue Performance hooks in place, using the countersunk screws provided.




4 Place upper loops on upper hooks.



5 The back of each product has loops in each corner. Hang the top two cord loops over the hooks and stretch the two bottom elastic loops over the lower hooks.




6 The elastic loops hold the bag securely in place and are tagged to assist clipping them on and off.




HOW TO SET UP YOUR BLUE PERFORMANCE SUNSHADE

Blue Performance Sunshades can be suspended from a halyard anywhere you like on a yacht.


1 Unpack the sunshade and batten sections.



2 Assemble both battens.




3 Guide the battens through loops and seat in each corner. Make sure the battens are crossed.




4 Tension the batten and force the tip in the corner pocket.



5 Suspend the sunshade from its centre ring with a halyard.




6 Fix its position using the corner cords attached to the railing.




HOW TO INSTALL YOUR BLUE PERFORMANCE SAILCOVER

The Blue Performance Sailcover protects your mainsail from the sun and sea.


1 Place the cover over the mainsail.




2 Pull the zipper together and close.




3 Fix the cover around the mast with the Velcro straps. Fasten with the buckle.




4 Define cover length to fit your boom with the separate flap at the rear. Adjust double layer of the flap and fix it with Velcro.



5 Attach the rear end of the cover with cord to the end of the boom.



6 Fasten the cover around the sail with the buckles.




HOW TO INSTALL YOUR BLUE PERFORMANCE BUNKNET

Blue Performance bunknet keeps you from rolling out of bed in rough weather.


1 Remove the mattress.




2 Place the bunknet with silver side up. Check if final height of the bunknet is ok.




3 Choose a hole in the webbing closest to the front edge of the seat. Fix 5 x screw through the webbing.



4 Cut the remainder of the webbing in between the stitching and dispose.



5 Make a connection from a fixed point on the boat to the D-rings fitted on the ends of the bunknet.



6 Stow away underneath the mattress when not used.

